VAUGHAN®

More than a century of craftsmanship in striking tools

An ISO 9002 Certified Company

CATALOG NO. 200

TRADEMARKS

The following are registered trademarks of Vaughan & Bushnell Mfg. Co.

"999"
Bear Claw
Bear Saw
California Framer
Carpenter's Pride
Double Duty
E-Z-Swing
Flipmarker
Golden Hawk
GroundBreakers
Little-Pro
Living Wedge
Mini-Bar
Pro-16
Pro-Framer
Pro-Grip
Pro "Rocker"
Proud To Say Made in U. S. A.
Safe-T-Vu
Shock-Blok
Steel Eagle
Sub-Zero
SuperBar
Super-Plastic
SuperSteel
"Sure Lock"
"Tough Fibre"
Triple Wedge
V&B
Vaughan

REGISTERED COMPANY ISO 9002 SGS

SPECIFICATIONS

Vaughan Professional, SuperSteel and Commercial brand forged tools meet or exceed the following specifications:

U.S.A.: GGG-H-86C. GGG-A-926C, GGG-H-131 C, GGG-B-110A

Canada: 39-GP-1 C, 39-GP-52A

Vaughan and V&B replacement handles meet or exceed the following specifications:

U.S.A.; NN-H-0093b, NN-H-00106c
Canada: 39-GP-10M

ASSOCIATIONS

Vaughan is a member and active supporter of these trade associations:

ahma member · ASMMA · Green Cross for Safety · Hand Tools Institute HTI Consumer · Safety · Protection · IHDA · Industrial Distributors · NRHA · STAFDA Associate

Recyclable We Care Packaging

This catalog is printed on recyclable paper. Vaughan uses recyclable materials in its product packaging

©1990, 1994, 1998, 2000 Vaughan & Bushnell Mfg. Co.

VAUGHAN

TABLE OF CONTENTS

PROFESSIONAL NAIL HAMMERS, HICKORY 7
Full Octagon Hickory; Vaughan's Vanadium

PROFESSIONAL RIP HAMMERS, HICKORY 8
"9" Little Pro®, "99" Pro-16®, "999®" Framing, "505" Framing, 606M Framing, 707M Framing

PROFESSIONAL CALIFORNIA FRAMER® AND BLUEMAX™ HAMMERS, HICKORY 9

PROFESSIONAL STEEL EAGLE® SOLID STEEL HAMMERS 11
Nail, Rip and California Framer® Styles

PROFESSIONAL FIBERGLASS HAMMERS 13
Nail, Rip and California Framer® Styles

PROFESSIONAL TUBULAR STEEL HAMMERS 14
Nail and Rip Styles

SUPERSTEEL® NAIL AND RIP HAMMERS 15
Hickory Fiberglass and Tubular Steel

PROFESSIONAL CONTRACTOR TOOLS 16
Shingling & Roofing Hatchets, Rig Builder's Hatchet, Carpenter's Half Hatchet, Drywall Tool

PROFESSIONAL CONTRACTOR TOOLS 17
Underhill Lathing & Drywall Hatchets, Underhill Box Hatchet, Electrician's Hammer, Bricklayer's Hammers

PLAIN FACE, "COMMERCIAL" AND "DOUBLE DUTY®" HAMMERS 18
Fiberglass & Hickory Plain Face, Nail and Rip Styles, "Commercial" & "Double Duty"

BALL PEIN AND RIVETING HAMMERS 20
Fiberglass & Hickory Handle Ball Peins, "Commercial" Ball Peins, Machinist's Riveting, Tinner's Riveting

TACK, UPHOLSTERER'S AND WELDER'S HAMMERS 21
Magnetic Tack, Magnetic Tack with Claw, Magnetic Upholsterer's, Welder's Chipping, Scaling

SUPERSTEEL HEAVY HAMMERS AND SLEDGES 22
Hand Drilling Hammer, Heavy Hitters,® Blacksmith and Double Face Hammers, Lineman's Hammer, Industrial Mauls, Double Face Sledges

PROFESSIONAL SOFT FACE HAMMERS 24
Split-Head Hammers, Copper-Face Hammers, Copper Mallets, Rawhide-Face Hammers, Copper/Rawhide Face Hammers

NYLON FACE AND DEAD BLOW HAMMERS 25
Soft-Face Hammers, Nylon-Face Hammers, Dead Blow Hammers, Replacement Faces

RAWHIDE, SUPER-PLASTIC AND RUBBER MALLETS 26
Rawhide Mallets, Lead-Loaded Rawhide Mallets, Super-Plastic Mallets, Rubber Mallets, Solid Rubber Mallets

SUPERBAR®, NAIL PULLERS AND PRY BARS 28
SuperBar, Nail Pullers, Mini-Bar, Molding Lifter Bar, Ripping Bar, Carpenters' Wrecking Bar

CHISELS, PUNCHES AND WEDGES 29
Bricklayer's Sets, Cold Chisels, Center Punch, Pin Punches, Prick Punch, Square Head Splitting Wedges

HAMMER AND HATCHET SAFETY RULES 30
Important safety considerations when choosing and using striking tools. Safety goggles.

BEAR SAW® PULLSAWS, PRO-ROCKER® DRYWALL SAW 32

SAFE-T-VU™ SAFETY GLASSES, FLIPMARKERS® 33

SUB-ZERO® AXES 35
Prospecting Pick, Camp Axe, Double & Single Bit Axes — Michigan Pattern, Supersportsman's Axe

SUPERSTEEL HATCHETS AND AXES 36
Oyster Hatchet, Broad Hatchet, Scout Axe, Cruiser Axe, Boy's Axe, Single Bit Axes — Michigan & Dayton Patterns, Double Bit Axe — Michigan Pattern

REPLACEMENT HANDLES 37-39

P.O.P. DISPLAYS . . . . . Back Cover

For people who take pride in their work...tools to be proud of™

In 1994 we celebrated our 125th anniversary Founded in 1869 by my great-grandfather, Alexander Vaughan, this company has grown to a size that he could never even have imagined. With the growth have come new manufacturing techniques and changes in technology that have transformed Vaughan from a small maker of hand tools to a company that manufactures hundreds of styles and sizes of striking tools, and markets them all over the world.

What hasn't changed over the years is our dedication to quality Vaughan tools are still made with an uncommon attention to detail... crafted by dedicated workers with their own family traditions of making Vaughan tools. We care a lot about the tools that carry the Vaughan name, and the care is obvious.

In 1993 Vaughan became the first striking tool manufacturer in the world to be awarded the coveted International Standards Organization certification to International Quality Standard ISO 9002. This certification extends beyond manufactured product quality standards to include all aspects of operations in Vaughan tool manufacturing facilities.

This international accreditation assures Vaughan customers of global standards of excellence in the manufacture of the Vaughan tools they sell.

This catalog illustrates and describes a broader selection of Vaughan tools than ever before. It's been reorganized to make it easier to use, and to allow us to put special emphasis on the exclusive features that make Vaughan tools unique...tools to be proud of.

Howard A. Vaughan, Jr.
President

VAUGHAN
QUALITY TOOLS SINCE 1869
PROFESSIONAL FRAMING HAMMER
PROUD TO SAY MADE IN USA
VAUGHAN
QUALITY TOOLS SINCE 1869
DESIGNED FOR PROFESSIONALS
PROUD TO SAY MADE IN USA
VAUGHAN
QUALITY TOOLS SINCE 1869
Little Pro

VAUGHAN

HERE'S WHAT MAKES VAUGHAN'S HICKORY HANDLE HAMMERS SO SPECIAL:

The Vaughan Professional line of hickory handle hammers is the most complete available. You can offer your customers everything from a 10 oz. cabinet maker's hammer (both straight and curved claw) to a beefy, 32 oz. Super Framing Hammer—26 styles and sizes in all. The line includes full octagon, curved claw hammers and Vaughan's "999" Series rip hammers, a unique design originated by Vaughan, and a long-time favorite of professionals. Eight models of Vaughan's rugged California Framer hammers are offered, in straight and curved handles, smooth and milled face. All Vaughan Professional hickory hammers feature top quality, white hickory handles, triple wedged into the eye with wood and steel wedges.

The hang tags on Vaughan Professional hickory handle hammer help you sell by giving your customers the inside story on Vaughan quality features right at the point of purchase.



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

VAUGHAN

PROFESSIONAL NAIL HAMMERS

DO10 DO13 DO16 DO20 V16

See page 6 for details of handle construction and wedging



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

FULL OCTAGON HICKORY

Full polished head with octagon neck and face. Top quality, white, full octagon hickory handles, triple wedged and epoxy sealed for "Sure-Lock®" handle tightness.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
111-03	DO10	10	285	11	4	4
113-03	DO13	13	370	12½	4	5
114-03	DO16	16	450	13	4	6
115-03	DO20	20	570	14	4	7

VAUGHAN'S VANADIUM

Full polished head with octagon neck and round face. Top quality, white hickory handles, triple wedged and epoxy sealed for "Sure-Lock®" handle tightness.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
113-01	V13	13	370	12½	4	5½
120-01	V16	16	450	13	4	6

VAUGHAN

PROFESSIONAL RIP HAMMERS

10 oz. "9" LITTLE PRO®

A beautifully balanced small hammer, ideal for cabinet making and finishing work. Top quality white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
122-01	9	10	285	11	4	4
122-12	9-D	6 PIECE COUNTER DISPLAY (see back cover)				

16 oz. "99" PRO-16®

Available with either smooth or milled face, this is a nicely proportioned hammer for all-round use. Top quality, white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
124-00	99	16	450	13	4	6
Milled Face						
124-20	Ms99	16	450	13	4	6

20 oz. "999"® FRAMING

Available in two lengths, with either smooth or milled face, its superb balance and comfortable grip make this hammer a favorite of tradesmen. Top quality, white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
105-00	999	20	570	14	4	7¼
105-10	999L	20	570	16	4	7¼
Milled Face						
105-20	999M	20	570	14	4	7¼
105-30	999ML	20	570	16	4	7¼
105-37	999MLFO	20	570	16	4	7¼

24 oz. "505" FRAMING

Available with either smooth or milled face, this framing hammer sets the industry standard for appearance and balance. Top quality white hickory handle is triple wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
123-01	505	24	680	17	4	9
Milled Face						
123-20	505M	24	680	17	4	9

28 oz. 606M SUPER FRAMING

An extra-heavy framer designed to provide excellent overall balance. The top quality white hickory handle is triple-wedged. Milled face.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
106-20	606M	28	800	18	2	4¾
Lineman's Straight Claw—Smooth Face—15" Hickory Handle						
106-02	606S	28	800	15	2	4½

32 oz. 707M SUPER FRAMING

The heaviest framer you can buy, yet proportioned to give excellent balance. Milled face. The top quality, white hickory handle is triple-wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
107-20	707M	32	900	18	2	5½
Smooth Face						
107-01	707	32	900	18	2	5½

VAUGHAN

CALIFORNIA FRAMER®

The Vaughan California Framer combines features of two of our most popular tools into a rugged, heavy construction hammer. The smoothly swept claws were borrowed from our "999" Rip Hammer, and the extra large striking face, hatchet eye and sturdy handle are a heritage of our Rigbuilder's Hatchet. The hatchet style handle is best grade, second growth hickory. To provide extra strength, the handle has a large cross section where it joins the fully polished head.

19 oz. STRAIGHT and CURVED HANDLES

Available with either smooth face for decking, or milled face for framing. Top quality white hickory handle is triple-wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Smooth Face – Straight Handle						
116-01	CF2P	19	540	16	4	7
Milled Face – Straight Handle						
116-00	CF2	19	540	16	4	7
116-05	CF2L	19	540	18	4	7 1/2
Milled Face – Curved Handle						
116-04	CF2HC	19	540	16	4	7

23 oz. STRAIGHT and CURVED HANDLES

A nicely balanced, heavy hammer, available with either smooth or milled face. Top quality white hickory handle is triple-wedged to head.

Smooth Face – Straight Handle						
103-01	CF1P	23	660	17	4	9
Milled Face – Straight Handle						
103-00	CF1	23	660	17	4	9
Milled Face – Curved Handle						
103-4	CF1HC	23	660	17	4	9



BLUEMAX™ features a buffed mirrored finish and innovative magnetic nail holding slot.



Optional milled face grips nail heads to minimize slipping and flying nails

PROFESSIONAL HAMMERS

27 oz. STRAIGHT HANDLE

A pair of powerhouse tools, these extra-heavy hammers offer superb balance to make work less tiring. Top quality hickory handles are triple-wedged to heads.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Smooth Face – Straight Handle						
119-01	CF3P	27	765	18	2	11
Milled Face – Straight Handle						
119-00	CF3	27	765	18	2	11

BLUEMAX™ HIGH PERFORMANCE CALIFORNIA FRAMERS®

NEW!

Drop forged steel head is highly polished and buffed to mirror finish. Features innovative magnetic nail holding slot capable of holding 16D and 20D nails. Extra long best grade blue stained American hickory handle. Exclusive triple wedge design for secure head to handle bonding.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Smooth Face – Straight Handle						
116-24	CFB2LP	19	540	18	4	7 1/2
Milled Face – Straight Handle						
116-22	CFB2LM	19	540	18	4	7 1/2
Smooth Face – Curved Handle						
116-28	CFB2HCP	19	540	16	4	7
Milled Face – Curved Handle						
116-26	CFB2HCM	19	540	16	4	7

VAUGHAN

There's never been a hammer like the Vaughan Steel Eagle™ ! Forged entirely of high quality, high carbon steel, it has all the toughness and durability your customers expect in a solid steel hammer. Yet there's none of the irritating hand sting that can make a day's work so tiring. The secret is Shock-Blok™, a shock absorbing insert of hickory and specially-formulated rubber. Most of the shock of hammer blows is absorbed by the Shock-Blok plug, the rest by the unique, air cushion grip. Available in curved and straight claw styles in a wide range of head weights, the Vaughan Steel Eagle features a full polished head to give it great sales appeal.

The hang tag on every Vaughan Steel Eagle helps you sell by giving your customers the inside story on Vaughan Steel Eagle quality features *right at the point of purchase.*



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

VAUGHAN

STEEL EAGLE® PROFESSIONAL HAMMERS

CURVED CLAW

Full polished head with octagon neck and round face. Forged steel from head to heel. Exclusive' Shock-Block™ plug in head absorbs shock. Exclusive air-cushioned, slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
109-10	R16	16	450	12 3/4	4	6 1/4
127-15	R20	20	570	13 3/4	4	7 3/4
108-15	R24	24	680	14	4	8 1/4

"999" STRAIGHT CLAW

Full polished head with octagon neck and round face. Forged steel from head to heel. Exclusive. Shock-Block™ plug in head absorbs shock. Exclusive air-cushioned, slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
125-10	R99	16	450	12 3/4	4	6 1/4
112-00	R999	22	625	14	4	8 1/4
112-10	R999L	22	625	16	4	8 3/4
110-01	R606	28	800	16	2	5 1/2
Milled Face						
112-20	R999ML	22	625	16	4	8 3/4
110-00	R606M	28	800	16	2	10 1/4



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.



Extra-large striking face for surer strikes

Optional milled face grips nail heads to minimize slipping and flying nails

CALIFORNIA FRAMER®

This forged steel hammer combines the unique head style of Vaughan's original California Framer with the proven shock absorbing benefits of the Steel Eagle® hammer. Exclusive, patented* Shock-Block® plug in head; air-cushioned, slip-resistant grip. Polished head with round neck and face.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
121-01	RCF2P	19	540	16	4	9
129-01	RCF1P	23	660	17	4	11
Milled Face						
121-00	RCF2	19	540	16	4	9
129-00	RCF1	23	660	17	4	11



Patented hickory and rubber Shock-Block® plug in eye take the sting out of hammer blows

*U.S. Pat No. 5289742 World-wide patents pending

Patented hickory and rubber Shock-Blok® plug in eye takes the sting out of hammer blows

*U.S. Pat No. 5289742
World-wide patents pending.

VAUGHAN

A common complaint with ordinary fiberglass handle hammers is that accidental overstrikes cause the fiberglass to fray, exposing sharp fibers and weakening the handle. Not so with Vaughan!

During the handle molding process extra resin is forced into the neck section, super-saturating the fiberglass strands to prevent fraying. The hollow core absorbs shock, and provides Vaughan fiberglass hammers with the balance and "feel" of wood.

The hang tag on every Vaughan fiberglass handle hammer helps you sell by giving your customers the inside story on Vaughan fiberglass hammer quality features *right at the point of purchase.*



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

VAUGHAN

PROFESSIONAL FIBERGLASS HAMMERS

FULL OCTAGON CURVED CLAW

Full polished head with octagon neck and face. Patented hollow core fiberglass handle absorbs shock, provides superb balance. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
113-15	FS13	13	370	12½	4	5½
114-10	FS16	16	450	13	4	6½
115-05	FS20	20	570	14	4	7¼
115-06	FS20L	20	570	16	4	7½

"999" STRAIGHT CLAW

Vaughan's patented, hollow-core fiberglass handle provides better balance and more effective shock absorption than typical solid fiberglass handles. Head "Sure-Lock"® wedged and epoxy sealed. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
124-10	FS99	16	450	13½	4	6
105-08	FS999	20	570	14	4	8
105-16	FS999L	20	570	16	4	8¾
123-31	FS505	24	680	17	4	9
Milled Face						
124-20	FS99M	16	450	12½	4	6
105-38	FS999ML	20	570	16	4	8¾
123-38	FS505M	24	680	17	4	10

Optional milled face helps prevent glancing blows and flying nails

CALIFORNIA FRAMER

Drop forged steel head combines unique style of Vaughan's original California Framer® with exclusive hollow-core, vibration absorbing, hatchet style fiberglass handle. Revolutionary designed high impact overstrike guard. Specially formulated, slip resistant PVC grip.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
116-51	CF21FGP	21	595	16	4	9
103-51	CF25FGP	25	710	17	4	10
Milled Face						
116-50	CF21FG	21	595	16	4	9
103-50	CF25FG	25	710	17	4	10



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

VAUGHAN

PROFESSIONAL TUBULAR STEEL HAMMERS

FULL OCTAGON CURVED CLAW

Full polished head with octagon neck and face. Patented 4″ hickory plug in eye adds strength, absorbs shock, locks head to handle. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
114-00	TO16	16	450	13	4	6½
115-10	TO20	20	570	14	4	7¼

16 oz. "PRO-16" STRAIGHT CLAW

Polished and chrome plated tubular steel handle. Patented 4″ hickory plug in eye adds strength, absorbs shock, locks head to handle. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
124-30	99T	16	450	13	4	7¾



20 oz. "999" STRAIGHT CLAW

Polished and chrome plated tubular steel handles. Assembled with 4″ hickory plug through eye to add strength, absorb shock. Steel wedged, epoxy-sealed eye. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
105-01	999T	20	570	14	4	8
105-11	999TL	20	570	16	4	8¾
Milled Face						
105-31	999TML	20	570	16	4	8¾



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

SUPERSTEEL® NAIL AND RIP HAMMERS

The SuperSteel label identifies a superb line of striking tools designed for industry, tradesmen and the discriminating do-it-yourselfer. SuperSteel tools are forged of the same high quality steels as the Vaughan Professional line, and heat treated to our exacting standards. They differ from Vaughan Professional tools only in details of finishing and polish. Available with hickory, fiberglass and tubular steel handles, SuperSteel tools offer high quality at an exceptionally attractive price.

HICKORY

Polished striking head, sides and claw. Octagon face and neck and octagon handle. Select, flame-treated hickory handles triple wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw—Octagon Face and Neck*						
131-20	S7	7	200	11½	4	3¼
113-20	S13	13	370	12½	4	4½
114-15	S16	16	450	13	4	6
115-40	S20	20	570	14	4	7
Straight Claw—Round Face						
104-15	S16R	16	450	13	4	6

*No. 131-20 has round face, neck and handle.



See pages 6 and 12 for additional details of handle construction

FIBERGLASS

Polished striking head, sides and claw. Octagon face and neck. Exclusive hollow core fiberglass handle absorbs shock, provides excellent balance. Steel wedged, epoxy sealed assembly. Slip-resistant grip, contoured for comfort.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw—Octagon Face and Neck						
114-22	S16F	16	450	13	4	6½
115-22	S20F	20	570	14	4	7¼
Straight Claw—Round Face						
104-05	S16FR	16	450	13	4	6½

TUBULAR STEEL

Polished and chrome plated tubular steel handle. Octagon face and neck. Patented 4″ hickory plug in eye adds strength, absorbs shock. Steel wedged, epoxy-sealed eye. Slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw—Octagon Face and Neck						
114-28	S16T	16	450	13	4	6½
115-28	S20T	20	570	14	4	7¼
Straight Claw—Round Face						
104-03	S16TR	16	450	13	4	6½

VAUGHAN



PROFESSIONAL

Beveled nail slot

CONTRACTOR TOOLS

SHINGLING HATCHET

Full polished with milled, crowned face, nail slot and back blade. Three-hole gauge: 4 1/2″, 5″ and 14.3 cm for U.S. standard and metric shingle measurement. Top quality, hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
201-01	SH	14	400	13	2	3 1/2
201-10	Gauge	—	—	—	10	1

ROOFING HATCHET (Not Shown)

Milled, octagon striking face, beveled nail slot, 2 1/2″ cut. Black, rust-resistant finish. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
211-01	RH	17	480	13	4	6 1/2

RIG BUILDER'S HATCHET

Full polished head. Extra large milled face. 3 1/2″ blade. Select, flame-treated hickory handle. A truly professional tool designed for heavy construction.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Hickory Handle						
204-20	RB	28	800	17	4	9
Fiberglass Handle						
204-50	RBFG	30	875	17	4	11

Three-position gauge on shingling hatchet for U.S. standard and metric shingle measurement.

Patented flat-top head on wallboard tool allows strikes close to corners

CARPENTER'S HALF HATCHET

Full-polished head. 31/2″ cut; fine, flame-treated hickory handle. A fine, standard weight tool for construction trades or handyman.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
205-20	SH2	22	625	13	4	7 3/4

DRYWALL (WALLBOARD) TOOL

Full Polished with milled, crowned face, thin blade, 1 3/4″ cut. Patented flat head for nailing close to corners, Top quality hickory handle, "Sure-Lock" wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
210-01	WB	12	340	15 1/4	2	2 1/2
210-02	WBS	12	340	13 1/4	2	2 1/4



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

VAUGHAN

Milled face helps prevent glancing blows and flying nails


Extra long poll on Electrician's Hammer

Exclusive carbide chisel end available on Brick Hammers

Beveled edges on Brick Hammer faces

UNDERHILL LATHING AND DRYWALL HATCHETS

Lathing Hatchet has extra thin blade. Both have 2⅛" cut and feature full polished head with milled, crowned face and full-grip, select hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Lathing Hatchet						
200-01	UL	14	400	13	2	3¼
Drywall Hatchet (Not Shown)						
200-02	UDH	14	400	13	2	3¼

UNDERHILL BOX HATCHET

Milled crowned face, thin blade, 2¼" cut, beveled nail slot. Full polished head. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
203-01	BX2	16	450	13	4	7

ELECTRICIAN'S STRAIGHT CLAW HAMMER

Polished striking head, sides and claw. Extra long poll for striking inside electrical junction boxes. Patented hollow core fiberglass handle provides balance and strength, absorbs shock. Steel wedged and epoxy sealed assembly, slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
138-20	E18F	18	510	14	4	7

BRICKLAYER'S HAMMERS

Highly polished striking head, sides and blade. Square, flat face with beveled edges. Available with select, flame-treated hickory handle, double wedged and epoxy sealed; Steel Eagle® solid steel handle with patented *Shock-Blok*® plug in head, or fiberglass handle with shock absorbing, hollow core and cushion grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Hickory Handle						
176-10	BL10	10	285	10½	4	3½
177-10	BL16	16	450	11	4	5
178-10	BL24	24	680	11½	4	7½
178-12	BL24L	24	680	16½	4	8½
With Vaughan's Exclusive Carbide Chisel End						
177-14	BL16TC	16	450	11	4	5
178-16	BL24TC	24	680	11½	4	7½
Fiberglass Handle						
177-13	BL16F	16	450	12½	4	5
178-15	BL24FL	24	680	14	4	9
Solid Steel						
184-12	ABL18	18	510	11	4	5
Solid Steel-Curved Handle (Not Shown)						
184-14	ABL18HC	18	510	12½	4	7

Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

VAUGHAN

"COMMERCIAL" and "DOUBLE DUTY®" HAMMERS

Made entirely in the U.S.A., Vaughan Commercial and Double Duty brand hammers are forged of high quality American steel, hardened and tempered to precise standards. Commercial hammers meet or exceed government specifications in the United States, Canada and Great Britain. Polishing operations on Commercial hammers are limited to permit more economical pricing. They are ideal for industrial applications.

Vaughan Double Duty hammers have a forge finish protected with rust-resistant, black paint. Only the face and bevel are polished.

Polished striking face is properly beveled for safety.

Double Duty Hammers assembled with patented "Living Wedge"

Head forged of American-made, high carbon steel, triple-zone heat treated

See pages 6 and 12 for additional details of handle construction

PLAIN FACE

Polished striking face, sides and claw. Hickory handles are triple wedged in tapered eye; fiberglass handles are steel wedged and epoxy sealed. Slip resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Fiberglass Handle						
134-93	FS16P	16	450	13	4	6½
136-93	FS20P	20	570	14	4	7¼
Select, Hickory Handle						
134-41	S16P	16	450	13	4	6
136-41	S20P	20	570	14	4	7
Lacquered Hickory Handle						
134-95	DD16P	16	450	13	10	6
136-95	DD20P	20	570	14	10	7

COMMERCIAL HICKORY

Polished striking head, sides and claw. Good grade hickory handle, triple wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw						
133-30	TC16	16	450	13	4	6
Straight Claw						
137-30	TC16R	16	450	13	4	6

DOUBLE DUTY HICKORY

Forge finish with rust resistant black paint, polished face and bevel. Lacquered finish hickory handle assembled with patented "Living Wedge®" to ensure permanent handle tightness.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Curved Claw						
131-50	DD7	7	200	11½	4	3¼
133-50	DD16	16	450	13	4	6
Straight Claw						
122-50	DD9	10	285	11	4	4
137-50	DD16R	16	450	13	4	6



Handle lengths meet U.S. Government specifications.

Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

VAUGHAN
GENUINE HICKORY
DESIGNED FOR PROFESSIONALS
VAUGHAN
DESIGNED FOR PROFESSIONALS
VAUGHAN
FINE TOOLS SINCE 1869

BALL PEIN & RIVETING HAMMERS

FIBERGLASS HANDLE BALL PEIN HAMMERS

Highly polished striking head, cheeks and pein. Vaughan's exclusive, hollow-core fiberglass handle provides better balance and more effective shock absorption than solid fiberglass handles. Steel wedged and epoxy sealed adze eye assembly. Slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
161-10	FS308	8	225	12½	4	4
162-10	FS2012	12	340	13	4	5
163-10	FS016	16	450	13	4	6
164-10	FS224	24	680	14½	4	8½
165-10	FS432	32	900	14¾	4	10½

HICKORY HANDLE BALL PEIN HAMMERS

Concentrically ground and polished striking head and pein. Generous bevel; cheeks ground smooth. Flame-treated, compression wedged hickory handle. Finished in rust resistant black paint.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
150-20	S702	2	55	10¼	4	1
151-20	S504	4	115	10¼	4	1¾
153-20	S308	8	225	11¾	4	3¼
154-20	S2012	12	340	12	4	4½
155-20	S016	16	450	13¾	4	5¾
156-20	S120	20	570	15	4	7
157-20	S224	24	680	15¼	4	8½
158-20	S432	32	900	15¾	4	10¾
159-20	S640	40	1135	16	4	12
160-20	S848	48	1360	16	4	13½



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

See pages 6 and 12 for additional details of handle construction

COMMERCIAL BALL PEIN HAMMERS

Polished face, bevel and pein. Other surfaces finished in rust resistant black paint. Compression wedged hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
151-30	TC504	4	115	10¼	4	1
153-30	TC308	8	225	11¾	4	3¼
154-30	TC2012	12	340	12	4	4½
155-30	TC016	16	450	13¾	4	5¼
156-30	TC120	20	570	15	4	7
157-30	TC224	24	680	15¼	4	8½
158-30	TC432	32	900	15¾	4	10¼
159-30	TC640	40	1135	16	4	12
160-30	TC848	48	1360	16	4	13½

MACHINIST'S RIVETING

Polished, round head with flat striking face and rounded cross pein. Select, flame-treated hickory handle is "Sure-Lock®" wedged to head.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
166-10	MR12	12	340	13	4	4½

TINNER'S RIVETING

Polished, octagon head with flat striking face and rounded cross pein. Select, flame-treated hickory handle on 12 oz. model is "Sure-Lock" wedged. Hollow core fiberglass handle on 16 oz. model absorbs shock, has epoxy-sealed eye and slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Hickory Handle						
168-10	TR12	12	340	12½	4	4¼
Fiberglass handle						
168-15	TR16F	16	450	12½	4	4¼

VAUGHAN

TACK, UPHOLSTERER'S & WELDER'S HAMMERS

Long, thin claw pulls tacks from hard-to-reach places

MAGNETIC TACK HAMMER

Polished magnetic face holds and sets tacks; opposite face used for driving. Forged steel head, 4 1/4″ long. Top quality hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
180-34	SBP5	5	140	11	4	2

MAGNETIC TACK HAMMER WITH CLAW

Polished forged head 5 1/8″ long, with magnetic striking face. Long thin claw pulls tacks easily. Top quality hickory handle securely wedged in adze eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
182-20	ST5	5	140	11	4	2 1/4″

MAGNETIC UPHOLSTERER'S HAMMER

Polished forged curved head, 5 3/4″ long. Magnetic face holds and sets tacks; opposite face used for driving. Top quality hickory handle securely wedged in adze eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
183-20	SU7	7	200	11 1/2	4	3



Magnetic face for holding and setting tacks & small nails



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

WELDER'S CHIPPING HAMMER

One end has sharp 1 1/4″ blade with back bevel; other end tapers to a point. Flame-treated hickory handle "Sure-Lock®" wedged in tapered adze eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
185-10	WC12	12	340	11 1/4	4	4

SOLID STEEL WELDER'S CHIPPING HAMMERS

One end has sharp 1″ blade; other end tapers to a point. Coil spring steel handle. Rust resistant, black oxide finish.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
Horizontal Blade (not shown)						
198-10	WCAS	15	420	10	10	9 3/4
Vertical Blade						
198-15	WCCS	15	420	10	10	9 3/4

SCALING HAMMER

Straight blade has double bevel; cross blade has single back-bevel. Head is ground smooth. Flame-treated hickory handle, triple wedged in adze eye for "Sure-Lock®" tightness.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
186-10	SC16	16	450	12 1/4	4	5 1/4

SUPERSTEEL HEAVY HAMMERS & SLEDGES

HAND DRILLING HAMMER

The right hammer for striking star drills, cold chisels, brick chisels and punches. Broad, polished striking faces with generous bevels. Rust resistant black finish on smooth ground sides. Select, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
191-10	HD3	3	1.4	10¼	4	14

HEAVY HITTERS™ BLACKSMITH & DOUBLE FACE HAMMERS

Fiberglass handles are fitted with high-impact rubber overstrike shields in the critical neck area; patented hollow core handle and slip-resistant, cushioned PVC grip absorb shock. Flame treated hickory handles are "Sure-Lock®" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
Blacksmith Hammers-Fiberglass Handles (Not Shown)						
171-20	S40F	2½	1.1	15	4	13½
172-20	S48F	3	1.4	15	4	13½
Blacksmith Hammers-Hickory Handles						
170-30	S32	2	0.9	14½	4	10
171-30	S40	2½	1.1	15½	4	12½
172-30	S48	3	1.4	16	4	15
Double Face Hammers-Fiberglass Handles						
173-20	SDF40F	2½	1.1	15	4	13½
181-20	SDF48F	3	1.4	15¼	4	16
571-20	SDF64F.	4	1.8	15½	2	9½
Double Face Hammers-Hickory Handles						
173-30	SDF40	2½	1.1	15½	4	12½
174-30	SDF48	3	1.4	16	4	15



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

LINEMAN'S (FARRIER'S TURNING) HAMMER

Head 3¼" long, with polished faces and bevels. Striking faces 1¼" diameter. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
175-10	L36	2¼	1.0	15½	4	11

LINEMAN'S STRAIGHT CLAW HAMMER (Not Shown)

Drop forged from high carbon steel. Polished striking face, extra thick straight claws. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
107-14	LSC32	2	0.9	15¼	2	6

INDUSTRIAL MAULS

Drop forged from high carbon steel and annealed only, not hardened. Intended for use where hardened steel hammers would damage steel parts. Polished faces and bevels, rust resistant black finish on sides. Exclusive hollow core fiberglass handle with neoprene grip absorbs shock. Epoxy sealed assembly.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
188-55	M1½F	1½	0.7	15	4	7
189-55	M3F	3	1.4	15	4	13

DOUBLE FACE SLEDGES (Not Shown)

Polished faces with generous bevels. Rust resistant black finish on sides. Flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
571-04	SS4	4	1.8	16	2	9
571-06	SS6	6	2.7	36	2	13
571-08	SS8	8	3.6	36	2	17
571-10	SS10	10	4.5	36	2	21
571-12	SS12	12	5.5	36	2	25

VAUGHAN
PROFESSIONAL
DEAD BLOW
VAUGHAN
PROFESSIONAL
RAWHIDE MALLET
VAUGHAN
PROFESSIONAL
SPLIT-HEAD

PROFESSIONAL SOFT-FACE HAMMERS

SPLIT-HEAD HAMMERS

These patented* hammers allow quick changes of faces and handles. Malleable iron heads are designed for uniform clamping pressure on handle and faces. Extension collars transfer shock to more handle surface, reducing user fatigue and handle breakage. Top quality hardwood handles.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
Rawhide Faces						
587-10	SH125	1 1/4	1 1/2	11	4	7
587-12	SH150	1 1/2	2	12	4	9
587-14	SH175	1 3/4	3 1/4	12 3/4	4	14
587-16	SH200	2	4 1/2	13 3/4	2	9
587-22	SH275	2 3/4	7 1/2	15 3/4	2	16
587-24	SH275L	2 3/4	8	36	1	8
Nylon Faces						
588-12	SH150NF	1 1/2	2	12	4	9
588-14	SH175NF	1 3/4	3 1/4	12 3/4	4	14
588-16	SH200NF	2	4 1/2	13 3/4	2	9
588-22	SH275NF	2 3/4	7 1/2	15 3/4	2	16

SOLID COPPER MALLETS (Not Shown)

Pure electrolytic copper heads absorb shock and distribute the force of the blow evenly.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
592-12	CM150	1 1/2	2	11 1/4	4	8 1/2
592-16	CM200	2	4	13	2	8 1/2

COPPER FACE HAMMERS

Malleable iron heads have grooved and tapered socket walls to help ensure a secure press fit for the replaceable copper faces.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
580-08	C100	1	1	9	4	5
580-10	C125	1 1/4	2	10 3/4	4	9
580-12	C150	1 1/2	3	12	4	13
580-14	C175	1 3/4	4	12	4	17
580-16	C200	2	7	14	2	15
580-18	C200L	2	8	30	1	8

*U.S. Pat. No. 5012702



RAWHIDE-FACE HAMMERS

Malleable iron heads have tapered sockets for the replaceable faces. Rawhide faces are compressed and thoroughly seasoned for uniformity and durability. Handles are top quality hardwood.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
581-08	R100	1	3/4	9	4	4
581-10	R125	1 1/4	1 1/2	10 3/4	4	7
581-12	R150	1 1/2	2	12	4	9
581-14	R175	1 3/4	2 7/8	12	4	12
581-16	R200	2	4 1/2	14	2	10
581-22	R275	2 3/4	7 1/4	16	2	15

COPPER/RAWHIDE-FACE HAMMERS (Not Shown)

Dual-purpose hammers will provide either the high impact of copper or the resilience of compressed rawhide. Malleable iron heads have tapered socket walls to help ensure a secure press fit for the replaceable faces. Handles are top quality hardwood.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
583-10	CR125	1 1/4	1 1/2	10 3/4	4	7
583-12	CR150	1 1/2	2 1/2	12	4	11
583-14	CR175	1 3/4	3 1/2	12	4	15

REPLACEMENT FACES FOR SPLIT- AND SOLID HEAD HAMMERS

	RAWHIDE		COPPER		NYLON	
FACE DIA. in.	ITEM CODE	CATALOG NO.	ITEM CODE	CATALOG NO.	ITEM CODE	CATALOG NO.
1	**590-00**	100RF	**590-02**	100CF	—	—
1 1/4	**590-20**	125RF	**590-22**	125CF	**590-24**	125NF
1 1/2	**590-40**	150RF	**590-42**	150CF	**590-44**	150NF
1 3/4	**590-60**	175RF	**590-62**	175CF	**590-64**	175NF
2	**590-80**	200RF	**590-82**	200CF	**590-84**	200NF
2 3/4	**590-90**	275RF	—	—	**590-94**	275NF

VAUGHAN

NYLON FACE AND DEAD BLOW HAMMERS


Easily replaceable faces


Shot moves during hammer swing to minimize rebound and increase impact

SOFT-FACE HAMMERS

Forged steel head lends force to blows. Supplied with two faces—soft (red) and hard (yellow). Flame treated hickory handle, "Sure-Lock®" wedged.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
193-10	SF6	6	170	10½	4	3
194-10	SF12	12	340	12½	4	4

Replacement Tips

511-01	SF6H (Hard) 1" Face Diameter
512-01	SF6S (Soft) 1" Face Diameter
513-01	SF12H (Hard) 1 3/8" Face Diameter
514-01	SF12S (Soft) 1 3/8" Face Diameter

NYLON-FACE HAMMERS

The one-piece threaded faces on these hammers feature a shoulder to absorb the force of side blows, protecting the threads. Chrome plated, zinc alloy heads arre serrated to help keep faces tight, Handles are top quality hardwood, Supplied with two white nylon faces.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lb.	LGTH. in.	STD. PKG.	PKG. lbs.
584-08	NT100	1	½	10	4	3
584-10	NT125	1¼	1	11	4	5
584-12	NT150	1½	1½	11¼	4	7
584-14	NT175	1¾	2	12	4	9
584-16	NT200	2	2¾	13	2	6
584-18	NT250*	2½	5½	14	2	11½

*Has black painted mallable iron head.

DEAD BLOW HAMMERS

The heads of these hammers are partially filled with steel shot to increase impact and reduce rebound. The one-piece threaded faces feature a shoulder to absorb the force of side blows, protecting the threads. The one-piece, aluminum alloy heads are serrated to help keep the faces tight. A neoprene compound grip on the handle absorbs shock. Supplied with two white nylon faces.

ITEM CODE	CAT. NO.	FACE DIA. in.	WT. lbs.	LGTH. in.	STD. PKG.	PKG. lbs.
585-10	DB125	1¼	1	10½	4	5
585-12	DB150	1½	1½	11¾	4	7
585-14	DB175	1¾	2	12	4	9
585-16	DB200	2	3	12½	2	7
585-20	DB250	2½	4¼	14¼	2	9

REPLACEMENT FACES FOR NYLON & DEAD-BLOW HAMMERS

FACE DIA.	SOFT GREY* PLASTIC ITEM CODE	CAT. NO.	MEDIUM* RED PLASTIC ITEM CODE	CAT. NO.	HARD WHITE NYLON ITEM CODE	CAT. NO.	EXTRA HARD* YELLOW PLASTIC ITEM CODE	CAT. NO.	TOUGH BROWN POLYURETHANE ITEM CODE	CAT. NO.
1	**589-06**	100SF	**589-04**	100MF	**589-00**	100HF	**589-08**	100XF	**589-02**	100TF
1¼	**589-26**	125SF	**589-24**	125MF	**589-20**	125HF	**589-28**	125XF	**589-22**	125TF
1½	**589-46**	150SF	**589-44**	150MF	**589-40**	150HF	**589-48**	150XF	**589-42**	150TF
1¾	**589-66**	175SF	**589-64**	175MF	**589-60**	175HF	**589-68**	175XF	**589-62**	175TF
2	**589-86**	200SF	**589-84**	200MF	**589-80**	200HF	**589-88**	200XF	**589-82**	200TF
2½	—	—	—	—	**589-90**	250HF	—	—	**589-92**	250TF

VAUGHAN

RAWHIDE & RUBBER MALLETS

RAWHIDE MALLETS

Compressed under hydraulic pressure, then seasoned for durability, Vaughan Rawhide Mallets deliver firm blows from a larger striking face. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	APPROX. WT.	LGTH. in.	STD. PKG.	PKG. lbs.
582-08	RM100	1	3 oz.	10	4	1
582-10	RM125	1 1/4	4 oz.	10	4	1
582-12	RM150	1 1/2	6 oz..	10 3/4	4	2
582-14	RM175	1 3/4	8 oz.	12	4	2
582-16	RM200	2	12 oz.	12	4	4
582-20	RM250	2 1/2	1 1/4 lbs.	13 1/2	2	3
582-22	RM275	2 3/4	1 1/2 lbs.	13 1/2	2	3 1/2

LEAD-LOADED RAWHIDE MALLETS

Lead core provides increased head weight for applications that require extra striking power. Rawhide is compressed under hydraulic pressure, then seasoned for durability. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	APPROX. WT.	LGTH. in.	STD. PKG.	PKG. lbs.
586-10	RML125	1 1/4	7 oz.	10	4	2
586-12	RML150	1 1/2	11 oz.	10 3/4	4	3
586-14	RML175	1 3/4	14 oz.	12	4	4
586-16	RML200	2	1 1/4 lbs.	12	4	5 1/2
586-20	RML250	2 1/2	2 lbs.	13 1/2	2	5
586-22	RML275	2 3/4	2 1/4 lbs.	13 1/2	2	5

SUPER-PLASTIC MALLETS

High density polyethylene heads have high impact and abrasion resistance. Will not fracture or delaminate. Highly resistant to acids and alkalis. Handles are top quality hardwood.

ITEM CODE	CATALOG NO.	FACE DIA. in.	HEAD WT. oz.	LGTH. in.	STD. PKG.	PKG. lbs.
591-04	PM175	1 3/4	7 3/4	12	4	2
591-06	PM200	2	10 3/4	12	4	4
591-08	PM250	2 3/8	17 1/4	13 1/2	2	3


Rawhide faces compressed and seasoned for toughness

Rubber Mallets have replaceable faces

Heads are molded onto handles of Solid Rubber Mallets

RUBBER MALLETS

Forged steel head provides extra driving power Replaceable 2″ diameter rubber tips; RM24 has one non-marring white for"clean" work, one black; RM24W has two white tips. Flame treated hickory handle, "Sure-Lock" wedged in tapered eye.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
195-10	RM24	24	680	14	4	8
195-15	RM24W	24	680	14	4	8

Replacement Tips
515-01 RM24TB (Black) **515-02** RM24TW (White)

SOLID RUBBER MALLETS

Specially compounded, quality rubber for high impact strength and long life. Head securely mounted on hardwood handle. Available in white and black.

ITEM CODE	CATALOG NO.	FACE DIA. in.	WT lbs	LGTH. in.	STD. PKG.	PKG. lbs.
574-31 blk	RM2B (Black)	2 1/4	1 1/4	10 5/8	4	5 1/2
574-32 wht	RM2W (White)	2 1/4	1 1/2	10 5/8	4	6 1/2

POLYURETHANE MALLET (Not Shown)

Special formula soft polyurethane mallet. No bounce-head resists damage from cuts, chemicals, oils and gas. Extra strong fiberglass handle. Cushioned slip-resistant grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	HEAD WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
574-35	SF2	20	570	14 1/2	4	5

VAUGHAN®
• Forged, Spring-Tempered Steel
• Rocker Design for Maximum Leverage
• Ground and Beveled Blades
VAUGHAN & BUSHNELL MFG. CO.
PROUDLY MADE IN THE USA
THE ORIGINAL
SUPERBAR®
No. B215
SCRAPES • PRIES • LIFTS • PULLS
0 51285 4

VAUGHAN'S ORIGINAL SUPERBAR®

An essential tool for homeowners and tradesmen. Its "shepherd's crook" rocker head is designed for maximum prying power; 15" length provides excellent leverage. Useful for prying molding, scraping and pulling nails. Forged, spring tempered steel for heavy duty use. Three beveled nail slots; polished, sharp blades for easy insertion.

ITEM CODE	CAT. NO.	WEIGHT oz.	WEIGHT g.	LGTH. in.	STD. PKG.	PKG. lbs.
450-01	B215	24	670	15	4	6 1/2
452-01	B215L	32	900	21	4	8 3/4

NAIL PULLERS

Designed for extracting deeply imbedded nails, these pullers are forged of 5/8" hex, high carbon steel. Polished claw(s) hardened and tempered for strength and long life. Blue, rust resistant finish.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
465-02	NP12G	20	567	11 1/2	4	5 1/2
470-02	NP12DE	16	454	11	4	4 1/2
467-02	NP15CE	22	625	15	4	6

CARPENTERS' WRECKING BARS (not shown)

Forged, high carbon steel. Black, rust-resistant finish. Hardened and tempered claw and chisel.

ITEM CODE	CATALOG NO.	HEX STOCK SIZE in.	LGTH. in.	STD. PKG.	PKG. lbs.
573-18	318	5/8	18	10	17
573-24	324	3/4	24	10	33
573-30	330	3/4	30	10	39
573-36	336	3/4	36	10	24

SuperBar's rocker head is designed for maximum prying power

Nail puller claw hardened and tempered for long life

RIPPING BAR

Forged of tough, 3/4" hex, high carbon steel. Three beveled nail slots. Hardened and tempered claws. Blue, rust-resistant finish, polished ends.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	STD. PKG.	PKG. lbs.
455-01	RB18	40	1120	18	4	10 1/2

BEAR CLAW® NAIL PULLERS

Forged, tempered steel with a flat claw for easy wedging and minimal wood damage. Rocker head provides excellent leverage. Black, rust resistant finish.

ITEM CODE	CATALOG NO.	WEIGHT oz.	WEIGHT g	LGTH. in.	LGTH. mm	STD. PKG.	PKG. lbs.
570-18	BC6	10	284	6 1/4	160	4	3
570-21	BC8	11	312	7 3/4	200	4	3 1/4
570-24	BC9	12 1/2	350	9 1/2	240	4	3 1/2
570-27	BC10	13 1/2	378	10 1/2	270	4	3 3/4
570-30	BC12	18 1/2	518	11 3/4	300	4	5 1/4
570-33	BC13	19 1/2	546	13	330	4	5 1/2
570-36	BC14	20 3/4	581	14 1/4	360	4	6

MOLDING LIFTER BAR

Wide, sharp blades slip easily under molding and baseboard. Curved ends provide excellent leverage. Forged, tempered steel, chrome plated. 10" long.

ITEM CODE	CAT. NO.	WEIGHT oz.	WEIGHT g.	LGTH. in.	STD. PKG.	PKG. lbs.
570-39	MLB	9 1/2	270	10	4	2 1/2

MINI-BAR®

This versatile little tool will open paint cans and pull small nails and staples. High quality tempered steel, chrome plated for attractive appearance. Carded for pegboard display.

ITEM CODE	CAT. NO.	WEIGHT oz.	WEIGHT g.	LGTH. in.	STD. PKG.	PKG. lbs.
460-04	222	1	28	5 1/2	10	1 1/2
460-02	222-CS	12 PIECE CLIP STRIP MERCHANDISER (See back cover)				
460-05	222-D	12 PIECE COUNTER DISPLAY				

VAUGHAN

CHISELS, PUNCHES AND WEDGES

Don't use claw hammers or hatchets on chisels or punches


Always use a hammer of the correct size and weight


Don't use punches or chisels with mushroomed striking faces

BRICKLAYERS' SETS

Drop forged of high carbon steel, then hardened and tempered. Beveled striking face minimizes mushrooming and chipping. Polished head and blade; square handle with beveled corners for comfortable grip. Ground smooth overall, with rust-resistant black finish. Must not be struck with bricklayer's hammer or nail hammer.

ITEM CODE	CATALOG NO.	CUT in.	STD. PKG.	PKG. lbs.
430-02	3½	3½	4	3½
431-02	4	4	4	3¾

COLD CHISELS

Forged alloy steel; hex stock, beveled for comfortable grip. Rust-resistant, black finish.

ITEM CODE	CATALOG NO.	CUT in.	LGTH in.	STOCK SIZE in.	STD. PKG.	PKG. lbs.
400-01	914	¼	4	¼	12	¾
401-01	938	⅜	5	5/16	12	1
402-01	912	½	5¾	7/16	12	3
403-01	958	⅝	6	½	12	4
404-01	934	¾	6½	⅝	12	6¾
405-01	978	⅞	7½	¾	6	6¼

CENTER PUNCH

Forged alloy steel, hex stock, beveled for comfortable grip. Rust-resistant, black finish.

ITEM CODE	CATALOG NO.	LGTH. in.	STOCK SIZE in.	STD. PKG.	PKG. lbs.
420-01	90	6	½	12	3½

PIN PUNCHES

Forged alloy steel, hex stock. Rust-resistant, black finish.

ITEM CODE	CATALOG NO.	POINT in.	LGTH in.	STOCK SIZE in.	STD. PKG.	PKG. lbs.
410-01	93	3/32	4	¼	12	¾
411-01	94	⅛	4½	5/16	12	1
412-01	95	5/32	5	5/16	12	1¼
413-01	96	3/16	5	⅜	12	1½

PRICK PUNCH

Forged alloy steel, hex stock. Rust-resistant, black finish.

ITEM CODE	CATALOG NO.	LGTH. in.	STOCK SIZE in.	STD. PKG.	PKG. lbs.
422-01	92	4½	⅜	12	3½

SQUARE HEAD SPLITTING WEDGES

Forged of high carbon steel, then hardened and tempered. Grooved sides for easier removal. Safety goggles should be worn when driving splitting wedges. Packaged 10 to a carton.

ITEM CODE	CATALOG NO.	WEIGHT lbs.	WEIGHT kg	LGTH. in.	HEAD in.	BIT in.
572-03	303	3	1.4	7½	1¼	2
572-04	304	4	1.8	8½	1⅜	2¼
572-05	305	5	2.3	9	1½	2⅜

Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

HAMMER AND HATCHET SAFETY RULES

USE THE CORRECT STRIKING TOOL FOR THE JOB

Hammers are arguably the most abused, most misused of all hand tools. Injuries can be caused by trying to strike too heavy a blow with a lightweight hammer, by using a damaged hammer and by using the wrong style of hammer for the task at hand. There is no such thing as a "universal" hammer, and users are well advised to use only tools that have been designed for the job.



Curved Claw or Nail Hammer
For use with non-hardened common or finishing nails only. Choose 16 or 20 oz. weights for general carpentry, lighter weights for model work or fine cabinetry.



Straight Claw or Rip Hammer
For use with non-hardened common or finishing nails only. Choose 20, 24, 28 or 32 oz. weights for framing and ripping.

Rawhide Mallet
For use in furniture assembly, shaping soft sheet metals or any project that requires non-marring blows. Choose weights from 3 oz. to 24 oz.



Ball Pein Hammer
For riveting, center punching and bending or shaping soft metal. Choose weights from 2 oz. to 48 oz., depending on the task.



Shingling Hatchet
The Pro's choice for installing shakes and shingles. Handy, three position gauge pin for metric and U.S. standards sets exposed length of shingle. Milled and crowned face sets nails cleanly.

Hand Drilling Hammer
Easy to handle with plenty of punch. The only hammer to use with star drills, masonry nails, steel chisels and nail pullers.



Brick Hammer
Designed for cutting and setting bricks or blocks, and for chipping mortar.



Wallboard Tool
Multi-purpose tool scores wallboard, makes cutouts and sets nails with a perfect dimple. Exclusive "Flat Top" head permits nailing in corners.

HERE ARE SOME BASIC RULES FOR PROPER USE OF STRIKING TOOLS:

• ALWAYS WEAR SAFETY GOGGLES • NEVER strike any hammer or hatchet with or against another hammer or hatchet • ALWAYS strike the surface squarely—avoid glancing blows • DO NOT use claw hammers or hatchets on concrete, stone, or hardened metal objects (such as nail pullers, pry bars, cold chisels, punches, star drills, drift pins, masonry nails, clevis or hitch pins, etc.) • ALWAYS use a hammer of the right size and weight for the job • NEVER use a brick hammer to strike metal

NEVER USE A HAMMER THAT HAS ANY OF THESE FAULTS

Discard hammer or hatchet with chipped or battered face



Discard hammer with cracked claw or eye section



Discard hammer or hatchet with mushroomed striking face



Replace loose or cracked handles. Always use replacement handles of same size and quality as original. Make sure of proper fit and secure wedging.

SAFETY GOGGLES

Made extra large to fit comfortably over eyeglasses or sunglasses. Perforated sides provide extra face protection and good ventilation. Soft, flexible frame conforms to facial contours. Replaceable lens. Individually packed in attractive merchandising carton. Shipped with clear lens only.

CATALOG NO.	WEIGHT oz.	STD. PKG.	PKG. lbs.
597-00	3	5	1⅛
Replacement Lenses			
597-01 Clear	1	1	
597-02 Green	1	1	

See Page 33 for additional eye protection.

VAUGHAN
LOCK
UNLOCK
VAUGHAN
WEAR SAFETY GOGGLES
VAUGHAN
FlipMarker
VAUGHAN
QUALITY STRIKING TOOLS
SINCE 1869

VAUGHAN

BEAR SAWS® CUT ON THE PULL STROKE

Vaughan Bear Saws are made to cut on the pull stroke rather than on the push stroke. This allows the use of a thinner blade, which removes less material, making sawing easier, faster and more accurate. Bear Saw blades are durable spring steel, plated for rust resistance. The specially ground, tri-edge teeth are impulse hardened to retain their sharpness. Four easily interchangeable blade styles match any task, from rough cuts to fine woodworking; any blade can be used with either style handle. Blade locks securely in handle, yet saw can be quickly disassembled for convenient toolbox storage. Blade guard protects teeth when saw is stored.





Indicator (arrow) confirms blade is correctly inserted. Ribbed knob is tightened to lock blade securely in position.

PRO–ROCKER®

Drywall/Wallboard Saw

Hardened, high quality carbon steel blade has double ground, self–starting point for plunge cuts; aggressive tooth design for fast, easy cutting. Contoured handle gives comfortable grip; thumb rest provides greater leverage. Wrist strap included.

ITEM CODE	CATALOG NO.	PITCH TPI
Drywall/Wallboard Saw		
569-60	PR6	8
Replacement Blade		
569-62	PR6RB	8

BEAR SAWS®

ITEM CODE	CATALOG NO.	BLADE STYLE	CUTTING LENGTH in.	CUTTING LENGTH mm	PITCH TPI	BLADE THICKNESS in.	BLADE THICKNESS mm	KERF in.	KERF mm	OVERALL SAW LENGTH in.	OVERALL SAW LENGTH mm
569-10	BS333C	Coarse/Medium	13	333	9	0.035	0.90	0.051	1.30	20 3/4	525
569-20	BS265M	Medium/Fine	10 1/2	265	14	0.024	0.60	0.035	0.88	17 1/2	445
569-30	BS250D	Double Edged	10	250	18 & Gradated	0.020	0.50	0.026	0.65	23	590
569-50	BS240P	Extra Fine*	8 3/8	213	17	0.022	0.55	0.033	0.85	16 1/2	420

BEAR SAW REPLACEMENT BLADES

ITEM CODE	CATALOG NO.	BLADE STYLE	CUTTING LENGTH in.	CUTTING LENGTH mm	PITCH TPI	BLADE THICKNESS in.	BLADE THICKNESS mm	KERF in.	KERF mm
569-12	333RBC	Coarse/Medium	13	333	9	0.035	0.90	0.051	1.30
569-22	265RBM	Medium/Fine	10 1/2	265	14	0.024	0.60	0.035	0.88
569-32	250RBD	Double Edged	10	250	18 & Gradated	0.020	0.50	0.026	0.65
569-52	240RBP	Extra Fine*	8 3/8	213	17	0.022	0.55	0.033	0.85

Encourage safe work habits! Advise your customers to always wear safety goggles when using striking tools.

VAUGHAN

PROTECTIVE EYEWEAR & FLIPMARKER





SAFE-T-VU™ High Fashion PROTECTIVE EYEWEAR

- Adjustable temples and lens angle for comfortable fit.
- Polycarbonate lenses are anti-fog, anti-static, anti-scratch & chemical resistant
- Excellent UV absorbtion
- Side shields and brow guards for extra protection

GLASSES

Item Code	Catalog No.	Description	Std. Pkg.	Pkg. Oz.
597-10	SV1000	Clear, Single Lens Glasses	4	12
597-11	SV1100	Tinted, Single Lens Glasses	4	12
597-12	SV1200	Mirrored, Single Lens Glasses	4	12
597-20	SV2000	Clear, Dual Lens Glasses	4	12
597-21	SV2100	Tinted, Dual Lens Glasses	4	12
597-22	SV2200	Mirrored, Dual Lens Glasses	4	12
597-30	SV4000	Clear, Wrap Around Lens Glasses	4	12
597-31	SV4100	Espresso Tinted, Wrap Around Lens Glasses	4	12
597-32	SV4200	Mirrored, Wrap Around Lens Glasses	4	12
597-33	SV4300	Amber, Wrap Around Lens Glasses	4	12
597-40	SV5000	Clear, Non-Replacement Lens Glasses	4	12
597-41	SV5100	Espresso Tinted, Non-Replacement Lens Glasses	4	12

REPLACEMENT LENSES

Item Code	Catalog No.	Description	Std. Pkg.	Pkg. Oz.
597-03	SV1000RL	Clear for SV1000 Glasses	4	12
597-04	SV1100RL	Tinted for SV1100 Glasses	4	12
597-05	SV1200RL	Mirrored for SV1200 Glasses	4	12
597-06	SV2000RL	Clear for SV2000 Glasses	4	12
597-07	SV2100RL	Tinted for SV2100 Glasses	4	12
597-08	SV2200RL	Mirrored or SV2200 Glasses	4	12
597-01	SV3000RL	Clear for SV3000 Goggles	5	25
597-80	SV100D	Display Rack with 2 each of SV1000, SV1100, SV1200, SV2000, SV2100, SV2200	12	12

Each pair supplied in a reusable, clear plastic protective case.

FlipMarker™

This double-ended marking tool combines a carpenter's pencil wirh a color marking crayon. Available in four colors—red, blue, yellow and black, FlipMarker can be used to write on any surface—wood, concrete or metal. Ideal for on-the-job color coding of utility services.

Item Code	Catalog No.	COLOR	Std. Pkg.
52002	FMBL	black	10
52003	FMBU	blue	10
52004	FMY	yellow	10
52005	FMR	red	10
52007	FMDS	Display 10 ea. color	40
52001	FMD	Display 25 ea. color See back cover	100

WRAP-AROUND LENS

- Wrap-around design with molded-in side shields protects from virtually all angles
- Available in clear, amber, mirror and the hot, new espresso lens tint that enhances visibility in fog as well as bright sunlight
- Adjustable temples ensure comfortable, custom fit

VAUGHAN
FINE TOOLS SINCE 1890
SuperSteel
Vaughan has the edge
SB 2¼
VAUGHAN
MADE IN USA
VAUGHAN
SUB-ZERO® AXE
VAUGHAN & BUSHNELL MFG. CO. HEBRON, ILL. 60034
The only axe with a hollow ground blade to
• Penetrate Deeper
• Release Faster
• Stay Sharp Longer
Custom built for cold climates
Select White Hickory handle. Built-in balance.

SOLID STEEL PROSPECTING/ROCK PICK

Forged steel head and I-beam handle, fully polished. Flat striking face and pointed pick. Patented, air-cushioned grip.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
179-01	AP16	16	450	12½	4	7¾
Smooth Ground, Unpolished Finish						
179-03	AP16U	16	450	12½	4	7¾

SOLID STEEL CAMP AXE

Full polished head and handle. Flat striking face with beveled edges. Nail slot in blade. Curved handle with shock absorbing, slip-resistant grip. Supplied with durable, fitted sheath.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	g	LGTH. in.	STD. PKG.	PKG. lbs.
334-02	AS1¼	1¼	570	13	4	7½
Sheath Only						
562-00	S1¼					

Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

Thin, specially hardened, hollow ground blade

Blade hardened and tempered to stand up in temperature extremes

DOUBLE BIT—MICHIGAN PATTERN

Hollow ground blades permit deeper cuts and easier release. Best grade, white hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
322-01	ZDB3½	3½	1.6	36	2	11

SINGLE BIT—MICHIGAN PATTERN

Hollow ground blade permits deeper cuts and easier release. Best grade, white hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
301-01	ZSB3½	3½	1.6	36	2	11

SUPERSPORTSMAN'S AXE

This excellent small axe is made exclusively by Vaughan in the Sub-Zero tradition. Fits tackle box or jacket pocket. Select, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	g	LGTH. in.	STD. PKG.	PKG. lbs.
333-01	ZS½	½	225	10	4	3
Sheath Only						
560-00	S½					

SUPERSTEEL® HATCHETS AND AXES

OYSTER HATCHET

A lightweight, forged hatchet with a 2¾" cut. Rust resistant, black finish; lacquered hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
212-02	2/0	12	336	12	4	3½

BROAD HATCHET

A heavy duty striking tool with a 4½" right hand cut. Large, flat driving face has beveled edges. Smooth ground, black, rust resistant finish. Fine, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT oz.	g	LGTH. in.	STD. PKG.	PKG. lbs.
207-01	SB2	28	800	14	4	11¼

SCOUT (CAMP) AXE

Light weight and easy to carry. Head is ground smooth, with a rust resistant black finish. Fine, flame treated hickory handle. Durable fitted sheath is optional.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	g	LGTH. in.	STD. PKG.	PKG. lbs.
Without Sheath						
332-20	SC1¼	1¼	570	14	4	8
With Sheath						
332-24	SCS1¼	1¼	570	14	4	8½
Sheath Only						
562-00	S1¼					



Encourage safe work habits!
Advise your customers to always wear safety goggles when using striking tools.

Head forged of American-made, high carbon steel, specially heat treated

Handle is flame treated, straight grain hickory

CRUISER AXE

A popular, lightweight, double-bit axe. Drop forged of high carbon steel, heat treated and tempered. Head is ground smooth, with a rust resistant black finish. Fine, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
320-20	SC2½	2½	1.1	28	2	7

BOY'S AXE

Dayton pattern, drop forged of high carbon steel, then heat treated and tempered for lasting sharpness. Head is ground smooth, with a rust resistant black finish. Fine, flame-treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
330-20	SB2¼	2¼	1.0	28	2	7

SINGLE BIT AXES

Drop forged of high carbon steel, carefully heat treated and tempered for lasting sharpness. Head is ground smooth, with a rust resistant black finish. Fine, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
Michigan Pattern						
301-20	SSB3½	3½	1.6	36	2	11
Dayton Pattern						
306-20	SSBD3½	3½	1.6	36	2	11
307-20	SSBD4	4	1.8	36	2	12
Miner's Axe—Dayton Pattern						
306-24	SM3½	3½	1.6	20	2	8

DOUBLE BIT—MICHIGAN PATTERN (Not Shown)

Drop forged of high carbon steel, carefully heat treated and tempered for lasting sharpness. Head is ground smooth, with a rust resistant black finish. Fine, flame treated hickory handle.

ITEM CODE	CATALOG NO.	HEAD WEIGHT lbs.	kg	LGTH. in.	STD. PKG.	PKG. lbs.
322-20	SDB3½	3½	1.6	36	2	11

SELECT FROM FOUR GRADES OF HANDLE

Vaughan and V&B replacement handles are all made from high quality American Hickory, accurately machine gauged, double sanded, buffed and lacquered for maximum hand comfort. Easy to follow assembly instructions and all necessary wood and steel wedges are packaged with each handle.

TOUGH FIBRE®

Specially-selected hickory, as supplied in Vaughan's Professional Quality tools. Finished with weather-resistant, clear lacquer. Density at least 48 lbs. per cu. ft.

SUPREME

Top quality hickory, with weather-resistant, clear lacquer finish. Density at least 48 lbs. per cu. ft.

E-Z SWING

Flame treated hickory with weather-resistant, clear lacquer finish. Density at least 42 lbs. per cu. ft.

SWINGER

Good, serviceable hickory with weather-resistant, clear lacquer finish.

REPLACEMENT HANDLES

		GRADE	ITEM CODE	PKG. lbs.	
CLAW HAMMER HANDLES	**12" ADZE EYE** For 7-10 oz. Claw Hammers & Vaughan 5-7 oz. Tack Hammers	Tough Fibre Supreme E-Z Swing Swinger	**611-01** **610-72** **610-73** **610-75**	1.7	
	13½" ADZE EYE OCTAGON For 13-16 oz. Claw Hammers & Vaughan 16 oz. Scaling Hammer	Tough Fibre Supreme E-Z Swing	**601-61** **601-62** **601-63**	2.7	
	13½" ADZE EYE For 13-16 oz. Claw Hammers & Vaughan 16 oz. Scaling Hammer	Tough Fibre Supreme E-Z Swing Swinger	**611-61** **611-62** **611-63** **611-65**	2.8	
	14" ADZE EYE-For 20 oz. Claw Hammers, Vaughan 999 & 999M Framing Hammers & Vaughan 18 oz. Electricians' Hammer	Tough Fibre Supreme E-Z Swing Swinger	**612-01** **612-02** **612-03** **612-05**	3.1	
	16" ADZE EYE For 20 oz. Claw Hammers & Vaughan 999L & 999ML Framing Hammers	Tough Fibre Supreme E-Z Swing Swinger	**602-01** **602-02** **602-03** **602-05**	3.7	
	17½" ADZE EYE For 24 oz. Claw Hammers & Vaughan 505 & 505M Framing Hammers	Tough Fibre Supreme E-Z Swing Swinger	**612-41** **612-42** **612-43** **612-45**	4.3	
	15" ADZE EYE For 28 oz. Claw Hammers	Tough Fibre	**612-71**	4.4	
	17½" ADZE EYE For 28-32 oz. Claw Hammers & Vaughan 606M & 707M Framing Hammers	Tough Fibre Supreme E-Z Swing Swinger	**612-81** **612-82** **612-83** **612-85**	4.4	
CALIFORNIA FRAMER® HAMMER HANDLES	**16½" HATCHET** For 19 oz. with Straight Handle	Tough Fibre Supreme E-Z Swing Swinger	**643-01** **643-02** **643-03** **643-05**	3.9	
	17½" HATCHET For 19 oz. with Curved Handle	Tough Fibre Supreme E-Z Swing Swinger	**650-01** **650-02** **650-03** **650-05**	3.9	
	17½" HATCHET For 23 oz. with Straight Handle	Tough Fibre Supreme E-Z Swing Swinger	**641-81** **641-82** **641-83** **641-85**	4.3	
	18½" HATCHET For 23 oz. with Curved Handle	Tough Fibre Supreme E-Z Swing Swinger	**651-81** **651-82** **651-83** **651-85**	4.3	
	18½" HATCHET For 27 oz. with Straight Handle	Tough Fibre Supreme E-Z Swing Swinger	**644-01** **644-02** **644-03** **644-05**	4.4	
BRICKLAYER HAMMER HANDLES	**11" BRICKLAYERS** For 16 oz. Brick Hammers	Tough Fibre Supreme E-Z Swing Swinger	**631-61** **631-62** **631-63** **631-65**	1.9	
	12" BRICKLAYERS For 24 oz. Brick Hammers	Tough Fibre Supreme E-Z Swing Swinger	**632-41** **632-42** **632-43** **632-45**	2.2	
SLEDGE HAMMER HANDLES	**24" SLEDGE** For 4-6 lb. Sledge Hammers	Supreme E-Z Swing Swinger	**672-42** **672-43** **672-45**	6.0	
	30" SLEDGE For 6-8 lb. Sledge Hammers	Supreme E-Z Swing Swinger	**673-02** **673-03** **673-05**	7.1	
	32" SLEDGE For up to 16 lb. Sledge Hammers & Oval Eye Woodchopper Mauls	Supreme E-Z Swing Swinger	**673-22** **673-23** **673-25**	8.0	
	36" SLEDGE For up to 16 lb. Sledge Hammers & Oval Eye Woodchopper Mauls	Supreme E-Z Swing Swinger	**673-62** **673-63** **673-65**	9.9	
	36" SLEDGE (HEAVY) For 20-24 lb. Sledge Hammers	Supreme E-Z Swing Swinger	**673-92** **673-93** **673-95**	11.0	

All handles packed 6 to a carton

		GRADE	ITEM CODE	PKG. lbs.	
MACHINIST & BLACKSMITH HAMMER HANDLES	**11″ MACHINIST** For 4 oz. Ball Pein Hammers & Vaughan 6 oz. Soft Face Hammers	Supreme E-Z Swing Swinger	**620-62** **620-63** **620-65**	1.4	
	12½″ MACHINIST For 8 oz. Ball Pein Hammers	Supreme E-Z Swing Swinger	**620-82** **620-83** **620-85**	1.8	
	13″ MACHINIST For 12 oz. Ball Pein Hammers & Vaughan 16 oz. Soft Face Hammers	Supreme E-Z Swing Swinger	**621-22** **621-23** **621-25**	2.2	
	14″ MACHINIST For 16-20 oz. Ball Pein Hammers & Vaughan 24 oz. Rubber Mallet	Supreme E-Z Swing Swinger	**621-62** **621-63** **621-65**	2.6	
	15¾″ MACHINIST For 20-24 oz. Ball Pein Hammers & 32 oz. Flat Eye Blacksmith Hammers	Supreme E-Z Swing Swinger	**622-42** **622-43** **622-45**	3.3	
	15¾″ MACHINIST For 32-40-48 oz. Ball Pein Hammers & 40-48 oz. Flat Eye Blacksmith Hammers	Supreme E-Z Swing Swinger	**624-02** **624-03** **624-05**	3.8	
	10½″ HAND DRILL For 2-4 lb. Oval Eye Hand Drill Hammers	Supreme E-Z Swing Swinger	**630-32** **630-33** **630-35**	1.9	
	14″ BLACKSMITH For 2 lb. Oval Eye Blacksmith Hammers	Supreme E-Z Swing Swinger	**633-22** **633-23** **633-25**	2.7	
	16″ BLACKSMITH For 2-4 lb. Oval Eye Blacksmith Hammers	Supreme E-Z Swing Swinger	**634-02** **634-03** **634-05**	3.7	
PICK AND POST MAUL HANDLES	**36″ PICK** For #6 Eye Picks and Pick Mattocks	Supreme E-Z Swing Swinger	**683-62** **683-63** **683-65**	14.3	
	36″ POST MAUL For Oval Eye "Swett" and "Cowanesque" Cast Iron Post Mauls	Supreme E-Z Swing Swinger	**693-62** **693-63** **693-65**	10.3	
HATCHET HANDLES	**13½″ HATCHET** For Shingling, Wallboard, Box and Lath Hatchets	Tough Fibre Supreme E-Z Swing Swinger	**641-31** **641-32** **641-33** **641-35**	3.1	
	13½″ HATCHET For Half, Claw, and Broad Hatchets	Tough Fibre Supreme E-Z Swing Swinger	**641-41** **641-42** **641-43** **641-45**	3.2	
	15½″ HATCHET For Shingling, Wallboard, Box and Lath Hatchets	Tough Fibre Supreme E-Z Swing Swinger	**641-21** **641-52** **641-53** **641-55**	3.2	
	17½″ HATCHET For Rig Builders' Hatchets	Tough Fibre Supreme E-Z Swing Swinger	**641-71** **641-72** **641-73** **641-75**	4.0	
AXE HANDLES	**14″ SCOUT** For 1¼ lb. Scout, Camps, and Belt Axes	Supreme E-Z Swing Swinger	**651-42** **651-43** **651-45**	3.2	
	28″ BOYS For 2¼ lb. Single Bit Axes	Supreme E-Z Swing Swinger	**652-82** **652-83** **652-85**	6.2	
	28″ CRUISER For 2½ lb. Double Bit Cruiser Axes	Supreme E-Z Swing Swinger	**662-82** **662-83** **662-85**	6.2	
	36″ MEN'S CURVED For 3-5 lb. Single Bit Axes	Supreme E-Z Swing Swinger	**653-62** **653-63** **653-65**	10.3	
	36″ MEN'S STRAIGHT DOUBLE BIT Men's Straight Double Bit for 3-5 lb. Double Bit Axes	Supreme E-Z Swing Swinger	**663-62** **663-63** **663-65**	10.7	
	36″ MEN'S STRAIGHT SINGLE BIT For 3-5 lb. Single Bit Axes & Single Bit Axe Eye Woodchopper Mauls	Supreme E-Z Swing Swinger	**655-12** **655-13** **655-15**	10.1	

All handles packed 6 to a carton

VAUGHAN®

For people who take pride in their work…tools to be proud of

VAUGHAN & BUSHNELL MANUFACTURING CO.
11414 Maple Avenue, Hebron, IL 60034
815 648-2446 • FAX 815 648-4300 • e-mail: vaughanmfg@aol.com
Visit our Web site at http://www.vaughanmfg.com

Printed in U.S.A.